ELSEVIER

Volumes 343–344, April 1999

thin solid films

Contents

Thin Film Session

Modelling of Thin Film Deposition

Modelling thin film growth: Monte-Carlo models of fullerite films
R. Smith, A. Richter 1

Columnar growth structure and evolution of wavy interface morphology in amorphous multilayered thin films
Z. Czigány, G. Radnóczi 5

Evolution of crystals during vacuum deposition
A.A. Bochkarev, V.I. Poliakova, M.V. Pukhovoy 9

Reactive co-evaporation of Si and Ge in oxygen atmospheres
J. Sangrador, M. Clement, E. Iborra 13

Dependence of carbon interatomic bonds on incident ion energy in carbon negative ion beam deposited films
H. Tsuji, S. Nakamura, Y. Gotoh, J. Ishikawa 17

Preparation of Mg$_2$Ni thin films by RF-DC coupled magnetron sputtering
M. Suzuki, T. Tanaka, K. Kawabata 21

A hybrid simulation of high pressure sputtering, combining the Monte Carlo method and the diffusive approach
T. Nakano, S. Baba 24

Tunneling spectrum characteristic reflecting discrete energy levels in Pb(Tl)Te Films
H. Murakami, R. Aoki, K. Sakai 27

Bayesian error analysis of Rutherford backscattering spectra
N.P. Barradas, C. Jeynes, M. Jenkin, P.K. Marriott 31

Non-destructive chemical analysis of sandwich structures by means of soft X-ray emission
B. Gålnander, T. Käämbre, F. Saleem, P. Blomquist, E. Nilsson, J. Guo, J.-E. Rubensson, J. Nordgren 35

Ion Assisted Deposition

The control of film stress using ionised magnetron sputter deposition
K.F. Chiu, Z.H. Barber, R.E. Somekh 39

The influence of silver on the structure and mechanical properties of (TiAl)-based intermetallics
M.T. Vieira, B. Trindade, A.S. Ramos, J.V. Fernandes, M.F. Vieira 43

Phase separation on solid surfaces: nucleation, coarsening and coalescence kinetics
M. Zinke-Allmang 47

The oxidation behaviour of mixed tungsten silicon sputtered coatings
C. Louro, A. Cavaleiro 51

Effect of DC bias on the deposition rate using RF-DC coupled magnetron sputtering for Mg thin films
T. Tanaka, M. Suzuki, K. Kawabata 57

Formation of pure thin films by means of self-sputtering deposition
Y. Horino, A. Chayahara, N. Tsubouchi, C. Heck, A. Kinomura, K. Abiko 60

MgO thin film deposition using TVA (thermoionic vacuum arc)
H. Ehrich, G. Musa, A. Popescu, I. Mustata, A. Salabas, M. Cretu, G.F. Leu 63

Effect of surface roughness on magnetic properties of Fe films deposited by dual ion beam sputtering
S. Iwatsubo, T. Takahashi, M. Naoe 67

An estimation of optimum Ar ion bombardment energy for good Fe films applying thermal spike effect
S. Iwatsubo, T. Takahashi, M. Naoe 71

The influence of ion bombardment intensity during deposition on nickel films microstructure
N. Popovic, Ž. Bogdanov, B. Gonci, S. Zec, Z. Rakocevic. 75

Energetic oxygen particles in the reactive sputtering of Zn targets in Ar/O_2 atmospheres
K. Tominaga, T. Murayama, Y. Sato, I. Mori 81

Pulsed magnetron sputtering of reactive compounds
W.M. Posadowski 85

Pulsed Laser/Oxide Films

Reactive pulsed laser deposition of piezoelectric and ferroelectric thin films
F. Craciun, P. Verardi, M. Dinescu, G. Guidarelli 90

Poole–Frenkel conductivity prior to electroforming in evaporated Au-SiO_x-Au sandwich structures
R.D. Gould, M.G. Lopez 94

Epitaxial growth and transport properties of *a*-axis oriented Hg-cuprate thin films
S.H. Yun, U.O. Karlsson 98

Reduction of thin oxide layer on $Fe_{60}Ni_{40}$ substrates in hydrogen plasmas
M. Mozetič, A. Zalar, M. Drobnič 101

Electrical characterisation of RF sputtered tantalum oxide films rapid thermal annealed with Ar, N_2, O_2 and N_2O
W.K. Choi, L.S. Tan, J.Y. Lim, S.G. Pek 105

Electrical and structural properties of rapid thermal annealed RF sputtered silicon oxide films
W.K. Choi, K.K. Han, W.K. Chim 108

Halide chemical vapour deposition of Ta_2O_5
K. Forsgren, A. Hårsta 111

The properties of reactively-sputtered, stoichiometry-controlled and optimum-conductivity transparent indium oxide films as a function of their titanium, aluminium and zinc content; comparisons with the use of tin as a dopant
I. Safi, R.P. Howson. 115

Palladium silicide/oxide formations in Pd/Si_2 complex films
T. Ichinohe, S. Masaki, K. Kawasaki, H. Morisaki 119

Annealing effects of $CuInSe_2$ films prepared by pulsed laser deposition.
S. Kuranouchi, A. Yoshida. 123

Epitaxial growth of nitride semiconductor films by laser ablation
A. Yoshida, K. Ouyang, B.S. Chang, A. Wakahara 127

Transparent conductive ZnO:Al films by reactive co-sputtering from separate metallic Zn and Al targets
F. Fenske, W. Fuhs, E. Nebauer, A. Schöpke, B. Selle, I. Sieber 130

Characterization of mechanical properties of VO_2 thin films on sapphire and silicon by ultra-microindentation
P. Jin, S. Nakao, S. Tanemura, T. Bell, L.S. Wielunski, M.V. Swain 134

An effect of preheat-treatment on the formation of titanium-oxide films by sintering a titanium/silicon-oxide structure in an oxygen atmosphere
K. Yokota, T. Yamada, T. Sasagawa, K. Nakamura, F. Miyashita 138

Transparent conductive tin oxide films by photochemical vapour deposition
S. Tamura, T. Ishida, H. Magara, T. Mihara, O. Tabata, T. Tatsuta 142

Preparation of ZnO films by atmospheric pressure chemical-vapor deposition using zinc acetylacetonate and ozone
K. Haga, F. Katahira, H. Watanabe. 145

Investigation of SiO_2 deposition processes with mass spectrometry and optical emission spectroscopy in plasma enhanced chemical vapor deposition using tetraethoxysilane
N.M. Horii, K. Okimura, A. Shibata 148

Reactively sputtered TiO_{2-x} thin films with plasma-emission-controlled departure from stoichiometry
K. Zakrzewska, A. Brudnik, M. Radecka, W. Posadowski 152

Novel methods for preparation of ion-exchangeable thin films
R. Abe, S. Ikeda, J.N. Kondo, M. Hara, K. Domen 156

Properties of films of multilayered ZnO:Al and ZnO deposited by an alternating sputtering method
K. Tominaga, T. Murayama, N. Umezu, I. Mori, T. Ushiro, T. Moriga, I. Nakabayashi. 160

Abnormal residual stress state in ZnO films synthesized by planar magnetron sputtering system with two facing targets
T. Hanabusa, H. Hosoda, K. Kusaka, K. Tominaga 164

Vanadium oxide thin films deposited onto Cu buffer layer by RF magnetron sputtering
H. Miyazaki, M. Kamei, I. Yasui 168

Thin Films for Optical Applications

Ordering of PVBA on amorphous SiO_2 and Pd(110)
B. Müller, C. Cai, M. Bösch, M. Jäger, C. Bosshard, P. Günter, B. Johannes V., W. Jens, K. Klaus 171

Optical and electrical properties of embedded silver nanoparticles at low temperatures
A. Heilmann, A. Kiesow, M. Gruner, U. Kreibig. 175

Deep profiles of lithium in electrolytic structures of ITO/WO_3 for electrochromic applications
I. Porqueras, G. Viera, J. Martí, E. Bertran 179

Study of electrochromic cells incorporating WO_3, MoO_3, WO_3–MoO_3 and V_2O_5 coatings
S. Papaefthimiou, G. Leftheriotis, P. Yianoulis 183

Ellipsometric studies on thin silver films epitaxially grown on Si(111)
A. Masten, P. Wissmann 187

Luminescence from hydrogenated amorphous silicon treated in microwave hydrogen plasma, KOH solution, and oxygen atmosphere
K. Yokota, T. Kitagawa, D. Yamamoto, K. Nakamura, F. Miyashita 191

Preparation and optical transmittance of titanium hydride (deuteride) films by r.f. reactive sputtering
S. Nakao, K. Saitoh, T. Hirahara, M. Ikeyama, M. Tazawa, P. Jin, H. Niwa, S. Tanemura, Y. Miyagawa, S. Miyagawa, K. Yasuda 195

Preparation of $CuIn(S_xSe_{1-x})_2$ thin films by excimer laser ablation from binary compounds
Y. Yamamoto, T. Yamaguchi, A. Yoshida. 199

Effect of a CdS interlayer in thermochromism and photochromism of MoO_3 thin films
M.A. Quevedo-Lopez, R. Ramirez-Bon, R.A. Orozco-Teran, O. Mendoza-Gonzalez, O. Zelaya-Angel 202

Magnetic Thin Films

Intermixing in immiscible Co/Ag/Co trilayers under XeCl laser annealing
E. D'Anna, G. Leggieri, A. Luches, M. Martino, G. Majni, G. Barucca, P. Mengucci, S. Luby, E. Majkova, M. Jergel . 206

Scaling behaviour and evolution of ferromagnetism in epitaxial Fe/GaAs(100) and Fe/InAs(100)
D.J. Freeland, Y.B. Xu, E.T.M. Kernohan, M. Tselepi, J.A.C. Bland. 210

Formation of granular-like structure of Ag/Co multilayers by excimer laser irradiation
E. Majkova, M. Spasova, M. Jergel, S. Luby, S. Okayasu, A. Luches, M. Martino, E.N. Zubarev, M. Brunel 214

Magnetoresistive properties and microstructure of NiFe thin films and NiFe(t)/Cu(s)/NiFe(t) multilayer films
J. Neamtu, M. Volmer, A. Coraci 218

Hard Coatings/Multilayered Hard Coatings

Hard a-C:H films deposited at high deposition rates
R.G. Lacerda, M.M. de Lima Jr, J. Vilcarromero, F.C. Marques. 222

Influence of diamond crystal orientation on their tribological behaviour under various environments
M. Schmitt, D. Paulmier, T. Le Huu 226

Effect of partial pressure on the internal stress and the crystallographic structure of rf reactive sputtered Ti–N films
S. Inoue, T. Ohba, H. Takata, K. Koterazawa 230

New Cr–B hard coatings by r.f.-plasma assisted magnetron sputtering method
M. Zhou, M. Nose, Y. Makino, K. Nogi 234

Nanohardness and chemical bonding of boron nitride films
A.F. Jankowski 238

Deposition and characterisation of TiAlBN coatings produced by direct electron-beam evaporation of Ti and Ti–Al–B–N material from a twin crucible source
C. Rebholz, A. Leyland, A. Matthews . . . 242

Resistivity and structural defects of reactively sputtered TiN and HfN films
Y. Ando, I. Sakamoto, I. Suzuki, S. Maruno . . . 246

Deposition of boron carbon nitride films by dual cathode magnetron sputtering
Y. Kusano, J.E. Evetts, I.M. Hutchings . . . 250

Titanium carbide film deposition by DC magnetron reactive sputtering using a solid carbon source
E. Kusano, A. Satoh, M. Kitagawa, H. Nanto, A. Kinbara . . . 254

Residual stress in TiN film deposited by arc ion plating
T. Matsue, T. Hanabusa, Y. Miki, K. Kusaka, E. Maitani . . . 257

Adhesive characteristics of Fe films deposited by ion beam sputtering with Ar ion bombardment
S. Iwatsubo, T. Takahashi, M. Naoe . . . 261

The determination of nitrogen in Cr–N system by RBS and the weight gain technique
P. Panjan, B. Navinšek, B. Zorko, A. Zalar . . . 265

TEA CO_2 laser-induced damage of low-thickness TiN coatings
B.M. Gaković, M.S. Trtica, T.M. Nenadovi, B.J. Obradovi . . . 269

Structure and adhesive properties of TiN films reactively deposited by plasma-free sputtering
T. Takahashi, K. Masugata, S. Iwatsubo, M. Asada . . . 273

Semiconductor Thin Films

The metastability of porous silicon/crystalline silicon structure
E. Pinčik, P. Bartoš, M. Jergel, C. Falcony, J. Bartoš, M. Kučera, J. Kákoš . . . 277

In situ ellipsometric studies of the a-Si:H growth using an expanding thermal plasma
A.H.M. Smets, M.C.M. van de Sanden, D.C. Schram . . . 281

Boron-induced electronic states in hydrogenated amorphous silicon
S-Y. Lin . . . 285

Enhancement of crystallization of Si films on quartz substrates by electric fields
S. Horita, D. Inagaki, K. Sato . . . 288

Structural analysis of nanocrystalline SiC thin films grown on silicon by ECR plasma CVD
S.J. Toal, H.S. Reehal, S.J. Webb, N.P. Barradas, C. Jeynes . . . 292

Complete optical characterization of imperfect hydrogenated amorphous silicon layers by spectroscopic ellipsometry and spectroscopic reflectometry
D. Franta, I. Ohlidal, D. Munzar, J. Hora, K. Navratil, C. Manfredotti, F. Fizzotti . . . 295

LPCVD deposition of silicon nitride assisted by high density plasmas
L.S. Zambom, R.D. Mansano, R. Furlan, P. Verdonck . . . 299

Effect of In-content on the misfit dislocation interaction in InGaAs/GaAs layers
D. González, G. Aragón, D. Araújo, R. García . . . 302

Electron microscopy study of SiC obtained by the carbonization of Si(111)
F.J. Pacheco, A.M. Sánchez, S.I. Molina, D. Araújo, J. Devrajan, A.J. Steckl, R. García . . . 305

Molecular arrangement of organic crystal *N,N′*-dimethylperylene-3,4,9,10-bis(dicarboximide) studied with metastable de-excitation spectroscopy and atomic force microscopy
K. Mochizuki, S. Hongo, T. Urano, N. Jing-Ping, Y. Ueda . . . 309

A new type of CO_2 sensor built up with plasma polymerized polyaniline thin film
S. Takeda . . . 313

Effects of reduced growth temperature on crystalline qualities and dopant diffusion in $Pb_{1-x}Sn_xSe/PbSe$ layers grown by MBE
M. Suzuki, T. Seki . . . 317

Effect of substrate temperature on properties of thin films prepared by RF sputtering from $CuInSe_2$ target with Na_2Se
T. Tanaka, T. Yamaguchi, A. Wakahara, A. Yoshida . . . 320

Structure of alumina oxide coatings deposited by impulse plasma method
K. Zdunek, J. Mizera, P. Wiencek, W. Gebicki, M. Mozdzonek . . . 324

X-ray photoemission and photoreflectance study of Au/ultrathin Si/*n*-GaAs Schottky contacts and hydrogen plasma treated semi-insulating GaAs surfaces
E. Pinčík, J. Ivančo, M. Kučera, J. Almeida, M. Jergel, M. Krempaský, G. Margaritondo, M. Brunel 328

ZnS wide band gap semiconductor thin film electronic structure sensitivity to Mn impurity
T. Vdovenkovatav, A. Vdovenkov, R. Tornqvist 332

Composition and properties of thin solid films on porous silicon surface
L. Monastyrskii, T. Lesiv, I. Olenych 335

Deposition and properties of plasma polymer films made from thiophenes
A. Kiesow, A. Heilmann 338

Preparation and Properties of Boron Thin Films
K. Kamimura, T. Nagaoka, T. Shinomiya, M. Nakao, Y. Onuma, M. Makimura 342

Electonic Materials and Processing session

Plenary Paper

Blue light emitting laser diodes
S. Nakamura 345

Oxidation and Etching

First principle study of hydrogen passivated Si(100) initial state of oxidation
A.F. Estève, M. Djnfari Rouhani, D. Estève 350

In situ observation of a high-temperature Si(001) surface during SiH_2Cl_2 exposure by photoelectron spectroscopy
T. Hori, H. Sakamoto, Y. Takakuwa, Y. Enta, H. Kato, N. Miyamoto 354

Hydrofluoric acid etching of ultra thin silicon oxide film fabricated by high purity ozone
K. Nakamura, A. Kurokawa, S. Ichimura 361

Lattice strain in oxidized Si nanostructure arrays from X-ray measurements
S. Tanaka, C.C. Umbach, Q. Shen, J.M. Blakely 365

Modeling of SiO_2/Si(100) interface structure by using extended Stillinger–Weber potential
T. Watanabe, I. Ohdomari 370

Extremely smooth surface morphologies in $N_2/H_2/CH_4$ based low energy chemically assisted ion beam etching of InP/GaInAsP
C.F. Carlström, S. Anand, G. Landgren 374

Anisotropic inductively coupled plasma etching of silicon with pure SF_6
R.D. Mansano, P. Verdonck, H.S. Maciel, M. Massi 378

Effects of plasma etching on DLC films
M. Massi, R.D. Mansano, H.S. Maciel, C. Otani, P. Verdonck, L.N.B.M. Nishioka 381

Spectroscopic ellipsometry characterization of strained interface region in thermally oxidized Si(111)
A. Szekeres, A. Paneva, S. Alexandrova 385

Oxidation kinetics of hydrogen-enriched Si (100) and Si (111) surfaces
S. Alexandrova, A. Szekeres 389

Evaluation of the initial oxidation of heavily phosphorus doped silicon surfaces using angle-dependent X-ray photoelectron spectroscopy
W.B. Ying, Y. Mizokawa, K. Tanahashi, Y. Kamiura, M. Iida, K. Kawamoto, W.Y. Yang 393

Interaction of H_2O clusters with hydrogen-terminated and clean Si(001) surfaces
K. Akagi, M. Tsukada 397

Compositional and structural transition layer studied by the energy loss of O 1s photoelectrons
H. Nohira, K. Takahashi, T. Hattori 401

Hydrogen adsorption and desorption on SiGe investigated by in situ surface infrared spectroscopy
F. Hirose, H. Sakamoto, M. Terashi, J. Kuge, M. Niwano 404

Influences of deuterium atoms on local bonding structures of SiO_2 studied by HREELS
H. Ikeda, Y. Nakagawa, K. Sato, M. Higashi, S. Zaima, Y. Yasuda 408

On the kinetics of generation of point defects in the Si–SiO_2 system
D. Kronman, U. Abru, A. Samoson, T. Kärner 412

Argon plasma sputter etching induced defect levels in strained, epitaxial p-type Si–Ge alloys
M. Mamor, F.D. Auret, S.A. Goodman, J.B. Malherbe 416

Radiation enhanced growth rates during plasma oxidation of silicon
O. Buiu, S. Taylor 420

REM studies of the roughening transitions of Si high index surfaces
T. Suzuki, H. Minoda, Y. Tanishiro, K. Yagi 423

Real-time diagnostics of growth of silicon–germanium alloys on hydrogen-terminated and oxidized silicon (111) surfaces by spectroscopic ellipsometry*
P. Hess, I. Opahle 427

Optical absorption in amorphous hydrogenated silicon nitride thin films deposited by the electron cyclotron resonance plasma method and subjected to rapid thermal annealing
F.L. Martínez, I. Mártil, G. González-Díaz, A.M. Bernal-Oliva, J.M. González-Leal, E. Márquez 433

Full composition range silicon oxynitride films deposited by ECR-PECVD at room temperature
A. del.Prado, I. Mártil, M. Fernández, G. González-Díaz 437

Infra-red, X-ray photoelectron spectroscopy and electrical studies of r.f. sputtered amorphous silicon carbide films
L.J. Han, T.Y. Ong, S. Prakash, L.G. Chua, W.K. Choi, L.S. Tan, F.C. Loh, K.L. Tan 441

Hydrogen in amorphous germanium-carbon
J. Vilcarromero, F.C. Marques 445

Optical and electrical characterisation of Ta_2O_5 thin films for ionic conduction applications
I. Porgueras, J. Marti, E. Beitran 449

Effect of deposition conditions of buffer layer on the characteristics of $(Ba,Sr)TiO_3$ thin films fabricated by a self-buffering process
D-S. Kil, B-I. Lee, S-K. Joo 453

Formation of Si-based organic thin films with low dielectric constant by using remote plasma enhanced chemical vapor deposition from hexamethyldisiloxane
T. Fujii, M. Hiramatsu, M. Nawata 457

Relationship of grain nanostructure and orientation in whisker growth on aluminum thin films on glass substrates
H. Takatsuija, K. Tsujimoto, K. Kuroda, H. Saka 461

The influence of cooling water flowing in the sputtering target on aluminum based thin film nanostructure deposited on glass substrate
H. Takatsuji, S. Tsuji, K. Kuroda, H. Saka 465

Electrical properties of polymer/Si heterojunctions
I. Musa, W. Eccleston 469

Excitation energy dependence of luminescent sol-gel organically modified silicates
R.A. Sá Ferreira, L.D. Carlos, V. de Zea Bermudez 476

Plasmon loss features of germanium nanocrystals fabricated by the cluster beam evaporation technique
S. Sato, S. Nozaki, H. Morisaki 481

Photoinduced changes of the structure and index of refraction of amorphous As–S films
Z. Polák, M. Frumara, B. Frumarová 484

Thermally and photoinduced changes of structure and optical properties of As–G–S amorphous films and glasses
M. Frumar, J. Jedelský, Z. Polák, Z. Černošel 488

Kelvin probe study of metastable states during initial oxygen adsorption dynamics on Si(111) 7×7
U. Petermann, I.D. Baikie, B. Lägel 492

Compound Semiconductors and Epitaxy

Recent understandings of elementary growth processes in MBE of GaAs
T. Nishinaga, A. Yamashiki 495

Optimizing GaSb($\bar{1}\bar{1}\bar{1}$) and GaSb(001) surfaces for epitaxial film growth
J.S. Solomon, L. Petry, D.H. Tomich 500

Homoepitaxial growth of ZnTe by synchrotron radiation using metalorganic sources
M. Nishio, T. Enoki, Y. Mitsuishi, Q. Guo, H. Ogawa 504

Ohmic contacts to p-type ZnTe using electroless Pd
M. Nishio, Q. Guo, H. Ogawa 508

*Invited paper

Effect of dopant flow rate upon photoluminescence properties in aluminum-doped ZnTe layers grown by MOVPE
M. Nishio, Q. Guo, H. Ogawa 512

Preparation and characterization of (Cd,Zn)S thin films by chemical bath deposition for photovoltaic devices
T. Yamaguchi, Y. Yamamoto, T. Tanaka, A. Yoshida. 516

Selective electrochemical profiling of threading defects in mismatched heteroepitaxial systems
Á. Nemcsics, F. Riesz, L. Dobos 520

Effects of nitrogen/argon ratio on composition and structure of InN films prepared by r.f. magnetron sputtering
Q. Guo, N. Shingai, Y. Mitsuishi, M. Nishio, H. Ogawa 524

Surface cleaning and nitridation of compound semiconductors using gas-decomposition reaction in Cat-CVD methods
A. Izumi, A. Masuda, H. Matsumura 528

Instability of 2D Ge layer near the transition to 3D islands on Si(111)
A.A. Shklyaev, M. Shibata, M. Ichikawa 532

Point defects, dopant atoms, and compensation effects in CdSe and CdS cleavage surfaces
B. Siemens, C. Domke, Ph. Ebert, K. Urban 537

Doping and electrical characteristics of in situ heavily B-doped $Si_{1-x}Ge_x$ films epitaxially grown using ultraclean LPCVD
A. Moriya, M. Sakuraba, T. Matsuura, J. Murota. 541

Structural analysis of epitaxial TiAg/MgO superlattices prepared by multi-evaporation
T. Kado, K. Nakarnura, M. Matsuura. 545

Initial stage oxidation at an unpaired dangling bond site on a Si(100)-2 × 1-H surface
H. Kajiyama, S. Heike, Y. Wada, T. Hashizume 550

Incorporation of Ga metalorganic precursors during transients at the start of GaAs growth in CBE
D. Hill, T. Farrell, T.J. Bullough 554

Influence of substrate misorientation on the structural characteristics of InGaAs/GaAs MQW on (111)B GaAs grown by MBE
M. Gutiérrez, D. González, G. Aragón, J.J. Sánchez, I. Izpura, M. Hopkinson, R. García 558

Effects of initial surface states on formation processes of epitaxial $CoSi_2$(100) on Si(100)
Y. Hayashi, Y. Matsuoka, H. Ikeda, S. Zaima, Y. Yasuda 562

The (3 × 3) reconstruction and its evolution during the nitridation of GaAs(001)
J. Lu, D.I. Westwood, L. Haworth, P. Hill, J.E. Macdonald 567

Low temperature growth of p-type crystalline silicon films by ECR plasma CVD
L. Wang, H S. Reehal 571

Raman and reflection anisotropy spectroscopic studies of GaN and AlN growth on GaAs(100)
P.R. Chalker, T.B. Joyce, T. Farrell, C. Johnston, A. Crossley, J. Eccles. 575

Bi surfactant mediated epitaxy of Ge on Si(111)
M. Horn-von Hoegen, F.J. Meyer zu Heringdorf, M. Kammler, C. Schaeffer, D. Reinking, K.R. Hofmann 579

XPS and TOFSIMS studies of shallow $Si/Si_{1-x}Ge_x/Si$ layers
T. Conard, H. De Witte, R. Loo, P. Verheyen, W. Vandervorst, M. Caymax, R. Gijbels 583

Pbs–Cds bilayers prepared by the chemical bath deposition technique at different reaction temperatures
R.A. Orozco-Terán, M. Sotelo-Lerma, R. Ramirez-Bon, M.A. Quevedo-López, O. Mendoza-González, O. Zelava-Angel 587

Piezoelectric photoacoustic spectra of $CuInSe_2$ thin film grown by molecular beam epitaxy
K. Yoshino, A. Fukuyama, H. Yokoyama, K. Maeda, P.J. Fons, A. Yamada, S. Niki, T. Ikari. 591

Low temperature epitaxial growth of CeO_2(110) layers on Si(100) using electron beam assisted evaporation
T. Inoue, Y. Yamamoto, M. Satoh 594

Interfaces

Co-sputtered Ru-Ti alloy electrodes for DRAM applications
R.H. Horng, D.S. Wuu, L.H. Wu, S.C. Wei, S.H. Chan, C.C. Leu, T.Y. Huang, S.M. Sze, M.K. Lee 598

Implantation of silicon using the boron cluster BF_2
R. Smith, M. Harrison, R. Webb. 602

Effect of a ZnSe intralayer on the Si/Ge(111) heterojunction band offsets
M. Pan, S.P. Wilks, P.R. Dunstan, M. Pritchard, R.H. Williams, D.S. Cammack, S.A. Clark 605

Cross-sectional specimen preparation from ICs downside for SEM and TEM-failure analyses using focused ion beam etching
F. Altmann, D. Katzer 609

Surfactant effect of atomic hydrogen on silicide-formation of nickel on Si(110) surfaces
K. Ueda, T. Ushirosako, M. Yoshimura 612

Wide Bandgap Semiconductors

Wide bandgap semiconductor materials for high temperature electronics
P.R. Chalker* 616

The effect of hydrogen on the electronic properties of CVD diamond films
H.J. Looi, M.D. Whitfield, J.S. Foord, R.B. Jackman 623

Influence of B- and N-doping levels on the quality and morphology of CVD diamond
A.J. Eccles, T.A. Steele, A. Afzal, C.A. Rego, W. Ahmed, P.W. May, S.M. Leeds 627

Bond formation in ion beam synthesised amorphous gallium nitride
S.A. Almeida, S.R.P. Silva, B.J. Sealy, J.F. Watts 632

Characterization of ohmic and Schottky contacts on SiC
A. Kakanakova-Georgieva, Ts. Marinova, O. Noblanc, C. Arnodo, S. Cassette, C. Brylinski 637

A research on the persistent photoconductivity behavior of GaN thin films deposited by r.f. magnetron sputtering
R.H. Horng, D.S. Wuu, S.C. Wei, S.H. Chan, C.Y. Kung 642

Growth of $GaAs_{1-x}N_x$ on GaAs (100) by chemical beam epitaxy
C.L. Aardahl, H.K. Yun, T.P. Pearsall, J.W. RogersJr., M. Qian, H. Fong, M. Sarikaya 646

Low-temperature epitaxial growth of cubic SiC thin films on Si(111) using supersonic molecular jet of single source precursors
J-H. Boo, S.A. Ustin, W. Ho. 650

Author Index for volumes 343–344. 656

Subject Index for volumes 343–344 659

*Invited paper

For more information on *Thin Solid Films*, please visit our website at:
http://www.elsevier.nl/locate/tsf

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request